

1/18




FIG. 1

2022032228001

2/18




FIG. 2





FIG. 4

3/18

FIG. 3

BLUE COLORED QUININOID FORM






FIG. 5





FIG. 6



201 FIG. 17




FIG. 18




FIG.7A

FIG.7A
FIG.7B
FIG.7C

FIG.7




FIG.7B

200220-52028001

7/18





FIG.7C



TEXTURED SURFACE

FIG.8A

FIG.8A
FIG.8B
FIG.8C

FIG.8

9/18




FIG.8B

10/18





FIG.8C



PROTECTIVE COATING

FIG.9A

FIG.9A
FIG.9B
FIG.9C

FIG.9

200220' 32028001

12/18




FIG.9B




FIG.9C




FIG.10




FIG.12

15/18

TIME (HOURS)	WEIGHT LOSS (mg)
0	0
2.33	1.5
19.93	9.2
26.50	11.9
43.17	17.8
51.33	20.8

WEIGHT LOSS (mg) OF ADAMANTANE BY SUBLIMATION FROM A DISK
0.785 cm² IN AREA AS FUNCTION OF TIME AT ROOM TEMPERATURE




FIG.11




FIG.13

17/18




FIG. 14




FIG. 15

PACKAGE 500
(FOIL, PLASTIC, ETC.)




FIG.16